

Linked In Post: https://www.linkedin.com/posts/eric-lemieux-9468715_manitoba-bisset-truenorth-share-7445628041851977728-brsJ?utm_source=share&utm_medium=member_desktop&rcm=ACoAAAEecwYBYv9IQ3WrNxLu2IPkWSB479AjztI

1911 Gold Corporation (AUMB-V):

1911 Gold reports additional results from underground delineation drilling at the True North Gold Project, Manitoba.

On April 2, 2026, 1911 Gold provided additional assay results from the underground drill program at its 100%-owned operational and fully permitted True North Gold Project, Manitoba, Canada. These assay results represent 10 drill holes for 1,464 m from the underground delineation drill program on the mineral resources outlined within the mine plan in the recent PEA. Recall on February 10, 2026, 1911 Gold had reported positive results from the independent PEA (Preliminary Economic Assessment) for the True North Gold Project and on March 27, 2026, had filed the supporting Technical Report by prepared by AMC Mining Consultants (Canada) Ltd. (see: <https://www.linkedin.com/pulse/1911-gold-corporation-aumb-v-delivers-positive-pea-true-eric-lemieux-bq3xe/>). The fully permitted 100%-wholly owned True North Gold Project is located within the 100%-owned Rice Lake Gold property, southeast Manitoba and within the First Nation communities of the Hollow Water First Nation and the Black River First Nation. The underground infill and delineation drill program has focused on 2 areas scheduled for early production in the PEA mine plan that are readily accessible from the existing Level 16 development. Current development drilling continues to focus on upgrading and delineating the resources for the initial years of the mine schedule and supporting an upcoming bulk sampling and test mining production.

Defining the Hinge Zone: Drilling results complete the Hinge Zone delineation drill program (31 drill holes completed for a total of 4,608 m) and confirmed continuity of gold mineralization within the Hinge Zone V-810 vein as outlined in the PEA mine plan for the early years of mining, located adjacent to Level 16 (695 m below surface). Salient results from the 10 holes include: 9.51 g/t Au over 3.5 m at 133.8 m downhole depth, (including 12.70 g/t Au over 0.7 m, and 30.7 g/t Au over 0.6 m) in DDH UG16-26-038; 12 g/t Au over 1 m at 128.8 m downhole depth and 7.44 g/t Au over 0.50 m at 132 m downhole depth in DDH UG16-26-046;

6.71 g/t Au over 2 m at 117 m downhole depth, (including 11.4 g/t Au over 0.8 m) in DDH UG16-26-041;

5.78 g/t Au over 1.1 m at 118m downhole depth, (including 6.46 g/t Au over 0.5 m) in DDH UG16-26-042; and

4.1 g/t Au over 1.4 m at 112.9 m downhole depth, (including 5.59 g/t Au over 0.7 m) in DDH UG16-26-043.

8 of 10 drill holes completed intercepted the vein and we estimate an average grade x thickness metric for all 31 drill holes of 10.34 g/t Au x m.

The drill holes were planned to intersect the modelled vein on a nominal 15 m spacing to upgrade indicated resources to the measured resource category. The V-810 vein modelled in this zone has an average width of 1.2 m, diluted to 1.5 m minimum width in the PEA mine plan. The V-810 vein is hosted by a dacitic lapilli tuff unit, characterized by NW trending shear and extensional stockwork style veins and vein breccias subparallel to the stratigraphy. The mineralized footprint is modelled as ~120 m long and ~100 m wide zone plunging N13E/52° at the intersection of dacitic lapilli tuffs unit and the regional mineralized Hinge shear zone. Data interpretation defines a classic "pinch-and-swell" geometry of shear hosted veins both on strike and vertically with a consistent core of higher-grade gold mineralization ~40 m wide extending ~100 m down plunge. Mineralized veins are composed of white quartz with thin bands of tourmaline- sericite-pyrite and chlorite as well as albite and iron-carbonate. Additional drilling is planned to test the extension of the V-810 vein at Hinge between the current resource and Level 16, located 25m down plunge.

Opportunities abound: The results from the delineation drilling on Hinge V-810 shall be incorporated into the project database to improve the vein wireframe modelling and to update the resources and stope designs to support an optimized mine plan. We understand a number of drill holes also intercepted mineralization outside of the currently modelled veins (not included in the PEA mine plan) and suggests a potential vein system parallel to the Hinge vein V-810, and outside of the modeled wireframes.

Beyond the immediate mine plan, 1911 Gold has also been investigating new target areas within the True North Mine Complex footprint. This includes underground drilling on the Shore Target and the San Antonio Southeast ("SAM SE") depth extensions, as well as testing the extensions of mineral resources included in the PEA mine plan. Drilling is progressing on all targets, and additional results should be released in due time.


Shaun Heinrichs, President and CEO commented: *"Drilling has confirmed mineralization within the targeted V-810 vein within Hinge, an area that will be considered for test mining activities later in the year. These additional results are in line with previous delineation drilling at Hinge with a consistent core of higher-grade gold mineralization approximately 40 m wide extending approximately 100 m down plunge. The ongoing drill program is focussed on infill and delineation drilling in areas that are included in the first years of mining within the PEA mine, as well as exploration and resource expansion drilling. We currently have two drills on surface and*



plan to mobilize a third underground drill rig over the next month which will continue to provide infill and resource expansion results as we expand our resource base in 2026 and advance towards the planned mine restart in 2027".


See end: <https://www.linkedin.com/pulse/1911-gold-corporation-aumb-v-intersects-up-1497-gt-au-eric-lemieux-c5soe/?trackingId=BEuW0tRI5iXTY1NHxt3Dug%3D%3D>

See also: <https://www.linkedin.com/pulse/1911-gold-corporation-aumb-v-delivers-positive-pea-true-eric-lemieux-bq3xe/>


<https://www.1911gold.com/news/press-releases/1911-gold-reports-additional--results-from-underground-delineation-drilling-at-true-north>










Plan View-True North Mine (Level 16)-Hinge Delineation Drilling



Sections (Looking West) - Hinge V-810 Vein Delineation Drilling (Select Significant Results)





Inclined Long Section (Looking North)-Hinge V-810 Vein Infill and Delineation Drilling (Select Significant Results within Planned Stope Design)




Table : Select Significant Drill Results from Hinge and L10 Infill and Delineation Drill Program at True North

11-Mar-26	Target Area (vein name)	Drill Hole (number)	From (m)	To (m)	Interval (m)	Gold Grade (g/t Au)	Type of Drilling	Grade x thickness (g/t x m)
1	Hinge V-810	UG16-25-004	117.3	118.6	1.3	2.83	Infill	3.68
2	Hinge V-810	UG16-25-005	122.5	123.9	1.4	2.44	Infill	3.42
3	Hinge V-810	UG16-25-006	136.8	137.9	1.1	10.03	Infill	11.03
		Including	136.8	137.3	0.5	14.5	Infill	
		Including	137.3	137.9	0.6	6.31	Infill	
4	Hinge V-810	UG16-25-010	120.7	123.3	2.6	2.61	Delineation	6.79
		Including	122.8	123.3	0.5	6.51	Delineation	
5	Hinge V-810	UG16-25-011	No Significant Results (NSV)				Delineation	
6	Hinge V-810	UG16-25-013	117.1	117.7	0.6	3.77	Delineation	2.26
7	Hinge V-810	UG16-25-015	119.7	121.9	2.2	10.79	Delineation	23.74
		Including	119.7	121.4	1.7	12.91	Delineation	
		Including	120.3	121.4	1.1	14.6	Delineation	
8	Hinge V-810	UG16-25-017	135.6	139	3.4	6.62	Delineation	22.51
		Including	136.2	136.9	0.7	23.6	Delineation	
9	Hinge V-810	UG16-25-021	131.8	132.8	1	4.33	Delineation	4.33
10	Hinge V-810	UG16-25-022	113.9	114.7	0.8	3.6	Delineation	2.88
11	Hinge V-810	UG16-25-023	137.6	139.9	2.3	4.76	Delineation	10.95
12	Hinge V-810	UG16-25-025	No Significant Results (NSV)				Delineation	
13	Hinge V-810	UG16-25-026	No Significant Results (NSV)				Delineation	
14	Hinge V-810	UG16-25-027	118.7	120.7	2	5.23	Delineation	10.46
15	Hinge V-810	UG16-25-028	131.8	134.7	2.9	4.75	Delineation	13.78
		Including	133.2	133.8	0.6	10.6	Delineation	
16	Hinge V-810	UG16-25-030	117.5	118.2	0.7	3.88	Delineation	2.72
17	Hinge V-810	UG16-25-031	108.7	114.7	6	5.02	Delineation	30.12
		Including	111.8	113.5	1.7	11.45	Delineation	
		Including	112.7	113.5	0.8	15.9	Delineation	
18	Hinge V-810	UG16-25-032	135.2	136.9	1.7	3.95	Delineation	6.72
19	Hinge V-810	UG16-25-034	121.9	124.1	2.2	6.65	Delineation	14.63
		Including	121.9	122.5	0.6	9.72	Delineation	
		Including	122.5	123.3	0.8	7.88	Delineation	
20	Hinge V-810	UG16-25-035	123.3	126.2	2.9	3.83	Delineation	11.11
		Including	125.3	126.2	0.9	9.59	Delineation	
21	Hinge V-810	UG16-25-036	No Significant Results (NSV)				Delineation	

Table : Select Significant Drill Results from Hinge Delineation Drill Program at True North

02-Apr-26	Target Area (vein name)	Drill Hole (number)	From (m)	To (m)	Interval (m)	Gold Grade (g/t Au)	Type of Drilling	Grade x thickness (g/t x m)
1	Hinge V-810	UG16-25-038	133.8	137.3	3.5	9.51	Delineation	33.29
		Including	133.8	134.5	0.7	12.7	Delineation	
		And	136.7	137.3	0.6	30.7	Delineation	
2	Hinge V-810	UG16-26-039	No Significant Results				Delineation	
3	Hinge V-810	UG16-26-040	121.8	122.3	0.5	6.15	Delineation	3.08
4	Hinge V-810	UG16-26-041	117	119	2	6.71	Delineation	13.42
		Including	117.6	118.4	0.8	11.4	Delineation	
5	Hinge V-810	UG16-26-042	118	119.1	1.1	5.78	Delineation	6.36
		Including	118.6	119.1	0.5	6.46	Delineation	
6	Hinge V-810	UG16-26-043	112.9	116.2	3.3	2.99	Delineation	9.87
		Including	112.9	114.3	1.4	4.1	Delineation	
		Including	112.9	113.6	0.7	5.59	Delineation	
7	Hinge V-810	UG16-26-044	No Significant Results				Delineation	
8	Hinge V-810	UG16-26-046	128.8	129.8	1	12	Delineation	12.00
		UG16-26-046	132	132.5	0.5	7.44	Delineation	3.72
9	Hinge V-810	UG16-26-047	141	142.5	1.5	2.29	Delineation	3.44
10	Hinge V-810	UG16-26-048	113.3	114.3	1	2.51	Delineation	2.51

Notes:

1. Intercepts above a cut-off grade of 2.25 g/t Au
2. Maximum of 2.50 m internal dilution and no top capping applied
3. Intervals represent drill core length and are considered to represent 60% to 90% of true widths
4. Drill hole information included in Table 3

Average

1.47

8.07

10.34

EBI

Éric Lemieux, MSc, P.Geo • Mining & Exploration Analytics

April 2, 2026

Important Disclosures

Company	Ticker	Disclosures*
1911 Gold Corporation	AUMB-V	A, R

* Legend

- A The Mining Analyst, in his own account or in a family related account, owns securities in excess of 1,000 shares of the issued and outstanding equity securities of this issuer.
- B The Mining Analyst, in his own account or in a family related account, owns securities in excess of 10,000 shares of the issued and outstanding equity securities of this issuer.
- C The Mining Analyst, in his own account or in a family related account, owns securities in excess of 30,000 shares of the issued and outstanding equity securities of this issuer.
- D The Mining Analyst, in his own account or in a family related account, owns securities in excess of 50,000 shares of the issued and outstanding equity securities of this issuer.
- E The Mining Analyst, in his own account or in a family related account, owns securities in excess of 100,000 shares of the issued and outstanding equity securities of this issuer.
- F The Mining Analyst, in his own account or in a family related account, owns securities in excess of 250,000 shares of the issued and outstanding equity securities of this issuer.
- V The Mining Analyst has visited material operations of this issuer.
- P This issuer paid a portion of the travel-related expenses incurred by the Mining Analyst to visit material operations of this issuer.
- Q This issuer had directly paid the Mining Analyst.
- R This issuer has indirectly paid the Mining Analyst.

Mining Analyst Certification

I, Éric Lemieux, Mining Analyst, hereby certify that the comments and opinions expressed in this report accurately reflect my personal views about the subject and the issuer.

I determine and have final say over which companies are included in my research and do not have direct or indirect remuneration unless disclosed.

This report has been prepared for general information purposes only and should not be considered either a solicitation for the purchase or an offer of securities. This research note does not constitute a recommendation.

The securities mentioned in this report may not be suitable for all types of investors. The information contained in this report is not intended as individual investment advice and is not designed to meet any particular investment objectives, financial situations, or needs. Nothing in this report constitutes legal, accounting or tax advice.