

LinkedIn Post: https://www.linkedin.com/posts/eric-lemieux-9468715_quebec-abitibi-cadillac-activity-7419523444397998081-YAnj?utm_source=share&utm_medium=member_desktop&rcm=ACoAAAEcwYBYv9IQ3WrNxLu2IPkWSB479AjztI

Cartier Resources Inc. (ECR-V):

Cartier intercepts 29.6 g/t Au over 1.7 m and 13.2 g/t Au over 1.0 m and unlocks new high-grade gold zones in strategic gap between Chimo and East Chimo deposits at Main (Cadillac)

On January 20, 2026, Cartier announced drill results from its 100%-owned Cadillac Project, located in Val-d'Or, Abitibi, Québec. The Cadillac Project is situated ~45 km east of Val-d'Or, Québec and encompasses 14,000 ha along a 15-km stretch of the Cadillac Fault Zone in the Val-d'Or mining camp. It has excellent road access, year-round infrastructure and nearby milling capacity. Recall on December 2, 2025, Cartier had reported drill results from the North Contact Zone ("NCZ") on its Cadillac Project (see end: <https://www.linkedin.com/pulse/cartier-resources-inc-ecr-v-cuts-1115-gt-au-over-2-m-confirms-eric-tqcke/>) and on January 13, 2026, an update in regards to the 2025 accomplishments and main catalysts for 2026 (see: <https://www.linkedin.com/pulse/cartier-resources-inc-ecr-v-metallurgical-testwork-program-lemieux-yzute/?trackingId=7hzXyZwmQxm%2BqvfnBs2RRq%3D%3D>).

Brownfield drilling: Drill results from the 100,000-m drilling program are the sixth batch of results from Main Sector on the Cadillac Project. The Main Sector is the central hub of Cartier's Cadillac Project, encompassing multiple mineralized zones, known as West Simon, West Chimo, Chimo, East Chimo, West Nordeau, and VG. This area has long been the focus of exploration, reflected in dense

clusters of drill collars and historic infrastructure nearby and several Mineal Resource Estimates and Preliminary Economic Assessments.

Holes CA25-300, 301 and 303 defined 2 high-grade gold zones (5B3 & 5C3), demonstrating robust potential for depth expansion and potential cost reductions with efficient mine planning and development. Salient intercepts are: CA25-300 intersected 29.6 g/t Au over 1.7 m (including 54.3 g/t Au over 0.9 m) (5B3 Zone) at ~150m depth; CA25-303 1m @ 13.2 g/t Au (5C3 Zone) at ~185m depth and CA25-301 intersected 2.7 g/t Au over 5.0 m (including 8.0 g/t Au over 1.0 m (5C3 Zone) at ~235m depth. These new results are strategically located midway between Chimo Deposit and East Chimo Deposit. Recall the Chimo Deposit contains 683,300 oz Au in M&I resources and 904,000 oz Au inferred resources and East Chimo Deposit is host to 1,400 oz Au indicated resources and 464,700 oz Au inferred resources.

Holes CA25-292A, 295, and 296 in the East Chimo Deposit area confirmed the 5B4 Zone. Salient results are: CA25-295 intersected 4.9 g/t Au over 3.1 m at ~75m depth; CA25-292A graded 3.1 g/t Au over 4.0 m at ~50m depth; and CA25-296 intersected 2.3 g/t Au over 8.0 m (5B4 Zone) at ~65m depth. Results suggest mineralization extends to surface, opening the door to more flexible operating scenarios and further potentially improving the project economics. This gold zone is now continuous from surface to 1,300 m and still open at depth, signaling again significant upside potential for resources growth.

We note that 12 drill holes have been disclosed with average intercepts at ~158m vertical depth. We estimate a grade x true thickness metric of 13.98 g/t Au x m for the 7 intercepts of the 6 best holes. Cartier's 2024 and 2025 drilling may have added new high-grade mineralization. Mineralized shoots remain largely open laterally and very much at depth.

Next Steps: Additional drilling is required on the new 5B3/5C3 Zones to expand gold mineralization at depth, which hosts the same style of mineralization than Chimo and East Chimo deposits. Conversely, further exploration drilling is already planned to test several new high-priority regional targets at Main Sector, backed by detailed structural and geological modelling and VRIFY's artificial intelligence (AI) driven targeting. Designated as the Epsilon Target in VRIFY's AI model, this

reinforces the potential for additional gold discoveries and is one of the foundations of Cartier's potential growing resource inventory.


Philippe Cloutier, President and CEO of Cartier commented: *"These new high-grade discoveries between the Chimo and East Chimo deposits demonstrates the continuity of mineralization in this area and reinforces our confidence in the project's growth potential. Confirming near-surface mineralization positions us to advance Cadillac with greater flexibility and improved capital efficiency".*



Ronan Derooff, VP Exploration of Cartier stated: *"These results are very encouraging and mark an important step forward. Drilling has now shifted west of the historical shaft, a largely underexplored area known to host multiple gold occurrences. As we continue to advance the drill program, we see strong potential for resource expansion in the western portion of the Main sector, which could add significantly value to the overall project".*



See end: <https://www.linkedin.com/pulse/cartier-resources-inc-ecr-v-advancing-cadillac-property-eric-lemieux-t1hoe/?trackingId=Y%2F3ObiSrQRKy9uy23pgrBw%3D%3D>

See also: <https://www.linkedin.com/pulse/cartier-resources-inc-ecr-v-cuts-1115-gt-au-over-2-m-confirms-eric-tqcke/>

<https://ressourcescartier.com/news/2026/>







Location of the new drill results (regional longitudinal section)

EBL

Table 1: Drill hole best assay results from Main Sector

Hole Number	From (m)	To (m)	Core Length** (m)	Au (g/t) Uncut	Vertical Depth (m)	Zone	grade x thickness	grade x true thickness
CA25-292A	65	69	4	3.1	~50	5B4	12.4	9.30
CA25-295	85.7	88.8	3.1	4.9	~75	5B4	15.19	11.39
CA25-296	78	86	8	2.3	~65	5B4	18.4	13.80
CA25-300	193.3	195	1.7	29.6	~150	5B3	50.32	37.74
Including	193.3	194.2	0.9	54.3			48.87	
CA25-301	275	280	5	2.7	~235	5C3	13.5	10.13
Including	275	276	1	8			8	
CA25-303	224	227	3	2.5	~170	5B3	7.5	5.63
And	241	242	1	13.2	~185	5C3	13.2	9.90

* Occurrences of visible gold (V/G) have been noted in the drill core at various intervals.

** Based on the observed intercept angles within the drill core, true thicknesses are estimated to represent approximately 65-85% of the reported core length intervals.

Average

20.82

13.98

EBL









Table 1: Drill hole detailed assay results from Main Sector

Hole Number	From (m)	To (m)	Core Length** (m)	Au (g/t) Decat	Vertical Depth (m)	Zone	grade x thickness	grade x true thickness
CA25-292A	65	69	4	3.1			12.4	9.3
Including	65	66	1	1.4				
Including	66	66.5	0.5	1.7				
Including	66.5	67	0.5	3.9				
Including	67	68	1	3				
Including	68	69	1	5.1				
CA25-293	63.6	65.5	1.9	1.9			3.61	2.7075
Including	63.6	64.8	1	2.3				
Including	64.8	65.5	0.7	1.6				
CA25-294	80	81	1	1.1			1.1	0.825
And	132	133	1	1.6			1.6	1.2
CA25-295	73.2	74.4	1.2	2.7			3.24	2.43
Including	73.2	73.9	0.7	2.2				
Including	73.9	74.4	0.5	3.3				
And	82.9	88.8	5.9	2.8			16.52	12.39
Including	82.9	84	1.1	1.5				
Including	85.7	86.2	0.5	1				
Including	86.2	87	0.8	4.9				
Including	87	88	1	6.2				
Including	88	88.8	0.8	5.6				
CA25-296	78	86	8	2.3			18.4	13.8
Including	78	79	1	1				
Including	79	80	1	1.4				
Including	81	82	1	2.6				
Including	82	83	1	1				
Including	83	84	1	5.9				
Including	84	85	1	3.4				
Including	85	86	1	2.4				
CA25-297	112	113	1	2.6			2.6	1.95
And	114.5	115	0.5	3.1			1.05	0.7675
And	170.5	171.9	1.4	2.3			3.22	2.415
Including	170.5	171	0.5	1.7				
Including	171	171.9	1	2.6				
CA25-298	133	134	1	1.5			1.5	1.125
And	151	152.8	1.8	2.6			4.68	3.51
Including	151	152	1	1.7				
Including	152	152.8	0.8	3.7				
CA25-299	135	136	1	2.3			2.3	1.675
And	160	161	1	4.1			4.1	3.075
And	220	221	1	1			1	0.75
And	229	230	1	5.9			5.9	4.425
CA25-300	158	159.7	1.7	1.5			2.55	1.9125
Including	158	159	1	1.1				
Including	159	159.7	0.7	2.1				
And	193.3	195	1.7	29.6			50.32	37.74
Including	193.3	194.2	0.9	54.3			48.87	36.6525
Including	194.2	195	0.8	1.9				
CA25-301	150.4	151.1	0.6	6.8*			3.4	2.6
And	218	219	1	1.4			1.4	1.05
And	222	223	1	1.7			1.7	1.275
And	255	255.9	0.9	2.3			2.07	1.5525
And	275	280	5	2.7			13.5	10.125
Including	275	276	1	8				
Including	277	278	1	2				
Including	278	279	1	1.8				
Including	279	280	1	1.4				
CA25-303	224	227	3	2.5			7.5	5.625
Including	224	225	1	1.4				
Including	225	226	1	4.2				
Including	226	227	1	2.2				
And	241	242	1	13.2			13.2	9.9
CA25-304	249	250	1	1.2			1.2	0.9
And	319	336.4	17.4	0.7			12.18	9.135
Including	319	320	1	1.6				
Including	320	321	1	2.1				
Including	323	324	1	1				
Including	324	325	1	1.8				
Including	325.9	336.4	0.5	2.1				
And	342	343	1	1.2				
And	348	349	1	1.3			1.2	0.9
And	377	378	1	5.8			1.3	0.975
							5.8	4.35

* Occurrences of visible gold (VG) have been noted in the drill core at various intervals.

** Based on the observed intercept angles within the drill core, true thicknesses are estimated to represent approximately 65-85% of the reported core length intervals.

Average

4.30

4.07

EBL



EBL Consultants enr.


Eric Lemieux, MSc, P. Geo
Mining & Exploration Analytics

ebiconsultants@gmail.com

819 314 8081



Photos of the drill core from drill holes CA25-295 and CA25-300



Important Disclosures

Company	Ticker	Disclosures*
Cartier Resources Inc.	ECR-V	D, V, Q, R

* Legend

- A The Mining Analyst, in his own account or in a family related account, owns securities in excess of 1,000 shares of the issued and outstanding equity securities of this issuer.
- B The Mining Analyst, in his own account or in a family related account, owns securities in excess of 10,000 shares of the issued and outstanding equity securities of this issuer.
- C The Mining Analyst, in his own account or in a family related account, owns securities in excess of 30,000 shares of the issued and outstanding equity securities of this issuer.
- D The Mining Analyst, in his own account or in a family related account, owns securities in excess of 50,000 shares of the issued and outstanding equity securities of this issuer.
- E The Mining Analyst, in his own account or in a family related account, owns securities in excess of 100,000 shares of the issued and outstanding equity securities of this issuer.
- F The Mining Analyst, in his own account or in a family related account, owns securities in excess of 250,000 shares of the issued and outstanding equity securities of this issuer.
- V The Mining Analyst has visited material operations of this issuer, namely the MacCormack, Chimo Mine, Cadillac Extension and Wilson projects.
- P This issuer paid a portion of the travel-related expenses incurred by the Mining Analyst to visit material operations of this issuer.
- Q This issuer has directly paid the Mining Analyst for the June 26, 2018, Analyst Report.
- R This issuer has indirectly paid the Mining Analyst.

Mining Analyst Certification

I, Éric Lemieux, Mining Analyst, hereby certify that the comments and opinions expressed in this report accurately reflect my personal views about the subject and the issuer.

I determine and have final say over which companies are included in my research and do not have direct or indirect remuneration unless disclosed.

This report has been prepared for general information purposes only and should not be considered either a solicitation for the purchase or an offer of securities. This research note does not constitute a recommendation.

The securities mentioned in this report may not be suitable for all types of investors. The information contained in this report is not intended as individual investment advice and is not designed to meet any particular investment objectives, financial situations, or needs. Nothing in this report constitutes legal, accounting or tax advice.