EBL Consultants enr.

Eric Lemieux, MSc, P. Geo
Mining & Exploration Analytics
eblconsultants@gmail.com
819 314 8081

**LinkedIn Post**:

# Renforth Resources Inc. (RFR-CSE)

## Renforth receives initial assay results from 2026 Parbec stripping program; standout sample returns up to 0.567 g/t Au with coarse gold and tungsten signature

**On June 11, 2026, Renforth announced assay results from the initial 6 surface grab samples collected during stripping operations, prior to washing, during the 2026 stripping program at its Parbec gold deposit in the Abitibi region of Québec, Canada.** The 2026 Parbec stripping program was designed to expose and directly sample bedrock in the diorite splay area south of the Cadillac Break, within the Pontiac sediments. The program has successfully removed overburden from the contact of the Cadillac Break with the Pontiac Sediments to the south and revealed the underexplored Diorite Splay identified by Renforth. The uncovered ground features an altered and silicified diorite, which generally carries gold when sulfides are present, per past drilling and surface sampling. The mineralization occurs along the length of the Cadillac Break on the property, subparallel to the break and in lenses. This zone was previously identified in drill core and channel sampling as prospective for the style of orogenic gold mineralization characteristic of the broader Cadillac-Malartic camp.

**Surface sampling indicating coarse orogenic gold:** Of the 6 grab samples submitted to ALS (samples L882913 through L882918), one sample — L882915 — returned results of significance. The 30-gram fire assay (Au-ICP21) result of 0.567 g/t Au represents a telling gold value for a surface grab sample and clears the Renforth's internal 0.3 g/t Au threshold for materiality for surface sampling within the open pit footprint.

Of note is the discrepancy between the fire assay (0.567 g/t) and the 0.5-gram ICP-MS (ME-MS41, semi-quantitative) result (1.56 g/t). The divergence between the two methods is a recognized indicator of coarse gold. When a smaller-charge analytical method returns a higher value than a larger-charge fire assay, this is a well-understood phenomenon of the presence of coarse gold unevenly distributed within the sample matrix. This result is consistent with the coarse, free-gold style of mineralization documented in orogenic deposits of the Malartic camp and the nugget effect previously observed at Malartic.

Renforth has carried out 3 small multi-element testing programs at Parbec. These were a 2019 drill core pulps and rejects ME assay program, a channel sampling program in spring 2025 and the 6 mid-program grab samples taken in May 2026. Analysis from this most recent multi element sampling has resulted in the identification of a pathfinder element signature accompanying the gold result, further reinforcing the interpretation of an orogenic gold system being present at Parbec. Sample L882915 returned tungsten (W) at 92.6 ppm and bismuth (Bi) at 1.51 ppm, with elevated boron. This W-Bi-B assemblage is consistent with scheelite-bearing orogenic gold systems, a signature that Renforth has now confirmed across three independent sampling events at Parbec in the Cadillac-Malartic camp: 2019 NQ drill core, 2025 channel samples, and the 2026 grab samples reported herein.

With stripping and washing complete, Renforth is now advancing to systematic mapping and channel sampling of the stripped ground to better characterize the geometry, continuity, and grade distribution of the exposed mineralization at Parbec. Early field observations on the ground, drone imagery and aerial photography support Renforth's long standing hypothesis of structures perpendicular to the Cadillac Break, providing additional support to our geological model for the Parbec gold deposit.

**Next Steps:** The exploration program now pivots towards systematic mapping and sampling of the recently stripped ground.

Nicole Brewster, President and CEO of Renforth Resources commented: **"***The coarse gold indicator from sample L882915 is an early result from the stripping program with significant importance. Coarse gold in a grab sample from an area we've been systematically developing tells us the mineralized system is real, it's present at surface, and it responds to the same structural and geochemical controls we've been tracing in core and channels. The tungsten-gold association appearing consistently across three years of sampling at Parbec is not coincidental — it's a reproducible orogenic signature. We have more work to do now, including more multi-element testing, and with the presence of pathfinders* *proven at Parbec we now have more tools to use as we work to grow our gold deposit*”**.**

Also on March 18, 2026, recall Renforth welcomed Dr. Haydon Mort as a Specialist Consultant to the Victoria Ni Sulphide Polymetallic Deposit project. Dr. Haydon Mort has 15 years of academic and industry expertise in geochemistry, and shall lead the high-level analysis and 3D lithogeochemical correlation and vectoring of data for Renforth's Victoria deposit and surrounding area. Dr. Mort should provide a high-fidelity map of the Victoria Ni Sulphide system's architecture, helping Renforth to transition from general exploration drilling at Victoria to precision targeting. Renforth aims to isolate the specific alteration halos that should point directly to the core of a potential undiscovered primary VMS vent.

Nicole Brewster, President and CEO stated: “*Bringing Dr. Mort and his geochemically driven exploration expertise into the fold allows us to pick up where Dr. Franklin unfortunately left off, bridging the gap between Jim's highly regarded VMS expertise as applied at Victoria and modern data-driven exploration. We are essentially using Haydon's several proficiencies to strip away the geological “noise” and focus our search on the high-grade “signal” that we believe is lurking at depth, as suggested by the work of Dr. Franklin*”.

See end: https://www.linkedin.com/pulse/renforth-resources-inc-rfr-cse-provides-update-its-qu%25C3%25A9bec-lemieux-7swne/

**https://renforthresources.com/2026/06/11/parbec-initial-stripping-results/**


Westwood
LaRonde
O-Brien
117
Cadillac Break
Cadillac
Lapa
Parbec
Gold Deposit
Malartic Metals
Package
Beaupré
Copper Zone
East Amphi
Malartic
Lac
Gold Zone
Lalonde MMZ
Canadian
Malartic
Odyssey
Powerline
Victoria MMZ
Fouillac
MMZ
Active Mine
Former Mine
Deposit
Deposit
Showing
25 Km
N


Westwood
LaRonde
Route
117
Cadillac
Parbec
Gold Deposit
Beaupré
Copper Zone
Malartic
Lac
Gold Zone
Lalonde MMZ
Powerline
Canadian
Malartic
Victoria MMZ
Fouillac
MMZ
50km


Parbec
ROC-D'OR
111
VAL-DU-REPOS
Lac Blouin
Agnico
Marban
DUBUISSON
L'ÎLE-SISCOE
Agnico
East Amphi
Malartic
Agnico
Cdn. Malartic
NORRIE
Kiena
Wesdome
BAIE-JOLIE
397
SULLIVAN
Halet
Eldorado
Lamaque
Agnico
Goldex
Val-d'Or
MMP
PLAGE LEMOINE
COLONIE-FOURNIÈRE
LAC-LANGIS
Lac Lemoine
Image © 2026 Airbus
Image © 2026 CNES / Airbus


Malartic Proximity
→ Parbec borders Canadian Malartic, Canada's largest open-pit gold mine.
→ Canadian Malartic's Barnat open pit is forecast to cease in 2029, shifting production to Odyssey underground.
→ Forecast outcome: ~40,000 tpd open-pit feed deficit, with replacement feed planned via trucking/rail from other deposits—Parbec's proximity becomes strategically relevant.
Parbec Gold Deposit
~3 km
AGNICO EAGLE
Canadian Malartic
655,654 oz gold Produced 2024
362,800
oz Au resource
265,800 M&I + 97,000 Inferred
73%
Measured & Indicated
Higher confidence classification
11×
Gold price multiple
vs ~$400/oz when decline was built
IN PLACE
Underground decline
Dewatering permit in progress
EBL


Canadian Malartic
Galaxy S26 Ultra
renforthresourcesinc.

## Zone 1 holds the MRE — Zones 2 & 3 look like Malartic and Lapa, still wide open

**3 Gold Settings within the Parbec Deposit**

**ZONE 1 · MRE** — **Cadillac Break Host** · Unmined

Hosts the bulk of the current 43-101 MRE

- Regional host for historic Cadillac Break gold mines
- Well-understood model — strong strike & infill potential

**ZONE 2 · UPSIDE** — **Sediment Structure** · Malartic parallel

**1.43 g/t Au over 12 m** surface channel

- Drillhole-hosted mineralization in structure extending into sediments
- **Significantly underexplored — high drill priority**

**ZONE 3 · UPSIDE** — **Deep Structural Zone** · Lapa Mine parallel

**9.6 g/t Au** surface grab · drilled to **738 m** depth

- ~500 m strike length — deepest mineralization on the property
- **Significantly underexplored — high drill priority**





ASSAY RESULTS — 2026 PARBEC STRIPPING PROGRAMME GRAB SAMPLES*

| Sample ID | Au (g/t) 30g Fire Assay (Au-ICP21) | Au (g/t) 0.5g ICP-MS (ME-MS41) | W (ppm) | Bi (ppm) | Notes |
|---|---|---|---|---|---|
| L882913 | 0.026 | — | — | — | |
| L882914 | 0.013 | — | — | — | |
| **L882915** | **0.567** | **1.56** | 92.6 | 1.51 | Standout; coarse gold indicator; elevated B |
| L882916 | <0.001 | — | — | — | |
| L882917 | 0.008 | — | — | — | |
| L882918 | 0.062 | — | — | — | |

**GRAB SAMPLES ARE SELECTIVE IN NATURE AND DO NOT REFLECT AN AREA GREATER THAN THE SAMPLE*

*Yellow highlight = standout sample.*

*Red value = fire assay result exceeding the 0.3 g/t materiality threshold. ME-MS41 results are semi-quantitative.*

*ALS Certificate SD26189144 | Finalized June 9, 2026*

Highlight Pathfinder ME Assay Results for 2019, 2025 and 2026 Programs

| Year | Zone / Location | Sample | Au g/t | W ppm | Bi ppm | S % | Notes |
|---|---|---|---|---|---|---|---|
| 2019 | Magnetic Diorite (PAR-18-78) | 2474055 | 15.66 | **103** | 0.27 | 1.63 | Whole rock reject, mag diorite |
| 2019 | Magnetic Diorite (PAR-18-78) | 2474054 | 13.13 | **66.9** | 0.29 | 1.46 | Whole rock reject, mag diorite |
| 2019 | Magnetic Diorite (PAR-18-78) | 2474053 | 6.97 | **67.2** | 0.36 | 1.8 | Whole rock reject, mag diorite |
| 2019 | Magnetic Diorite (PAR-18-78) | 2474049 | 5.27 | **61.9** | 0.18 | 0.56 | Whole rock reject, chl sch + mag diorite |
| 2019 | Silicified Diorite — Partridge Zone (PAR-18-84) | 2473678 | 5.08 | **366** | 0.32 | 1.03 | Pulp, sil diorite + qz |
| 2019 | Silicified Diorite — Partridge Zone (PAR-18-84) | 2473679 | 0.79 | **57.8** | 0.24 | 0.5 | Pulp, sil diorite |
| 2019 | Silicified Diorite — Partridge Zone (PAR-18-84) | 2473682 | 6.62 | 23.6 | 0.3 | 1.25 | Pulp, sil dio + kspar + py |
| 2019 | Silicified Diorite — Partridge Zone (PAR-18-84) | 2473680 | 0.61 | 4.7 | 0.09 | 0.31 | Pulp, sil diorite (background) |
| 2019 | Partridge Zone Tuffs (PAR-18-74) | 2473290 | 13.1 | 25.2 | 0.54 | 1.4 | Whole rock reject, sheared diorite + py |
| 2019 | Partridge Zone Tuffs (PAR-18-74) | 2473291 | 6.11 | 29.9 | 0.34 | 0.58 | Whole rock reject, sheared diorite + py |
| 2019 | High Assay / Discovery Zone (PAR-18-87) | 2422254 | 7.26 | 6.9 | 4.28 | 1.19 | Pulp — Bi dominant style |
| 2019 | High Assay (PAR-18-84) | 2473687 | 17.67 | 9.2 | 15.6 | 0.69 | Pulp — strong Bi, W background |
| 2019 | High Assay (PAR-18-92) | 2058 | 24.62 | 3.6 | 14.4 | 0.53 | Pulp — highest Au, strong Bi |
| 2019 | High Assay (PAR-18-70) | 2472862 | 10.89 | 36.2 | 0.69 | 1.34 | Pulp, QFP veinlet |
| 2019 | Island Trenches — N of Cadillac Break | 1408863 | 9.18 | 4.3 | 0.52 | 1.77 | Surface grab*, qz vein in int vol |
| 2019 | Island Trenches — N of Cadillac Break | 1408864 | 9.6 | 3.5 | 0.39 | 1.81 | Surface grab, int vol + hairline qz veins |
| 2025 | Diorite Splay Trench — S of Cadillac Break (PAR-CHNL-25-02) | F667563 | 1.657 | 33.2 | 4.05 | 0.99 | Channel, K-spar alt felsite, 1.2–1.9m |
| 2025 | Diorite Splay Trench — S of Cadillac Break (PAR-CHNL-25-02) | F667564 | 1.836 | **542.8** | 5.09 | 1.14 | Channel, HIGHEST W — peak of anomaly, 1.9–2.4m |
| 2025 | Diorite Splay Trench — S of Cadillac Break (PAR-CHNL-25-02) | F667565 | 0.784 | 32.2 | 1.73 | 0.49 | Channel, 2.4–3.2m — flanking |
| 2026 | Diorite Splay / Stripped area — S of Cadillac Break | L882915 | 0.567 (FA) 1.56 (ICP) | **92.6** | 1.51 | 0.59 | Grab* — coarse gold indicated by FA/ICP divergence |

1 - *Grab Samples are selective in nature and not reflective of a property or mineralization as a whole

2 - Background W in unmineralized / low-gold samples across all three datasets: consistently 0.4–5 ppm (two orders of magnitude below peak anomalies).

3 - Highlighted rows (yellow) indicate W values ≥50 ppm

## Four dated 2026 catalysts – each a potential re-rating trigger

*Parbec advances quarterly through 2026, building toward an underground bulk sample at today's gold price.*

**NOW**

**Stripping & Surface Mapping**

330×120m strip exposing new gold-bearing units in the open pit.

**SPRING 2026**

**Mapping Results & New Targets**

Surface Mapping/Sampling untested ground in gold bearing structures

**SUMMER 2026**

**60,000m Drill Program (2-year)**

Resource expansion · Inferred → M&I · underground sample zone.

**LATE 2026 · THE TERMINAL CATALYST**

**Underground bulk sample permit**

Dewatering permit → access to existing decline → metallurgical bulk sample at US$4,600/oz gold

RFR | renforthresources.com

*Dr. Haydon Mort*

# Important Disclosures

| Company | Ticker | Disclosures* |
|---|---|---|
| **Renforth Resources Inc.** | **RFR-CSE** | **C, R** |

* Legend

A The Mining Analyst, in his own account or in a family related account, owns securities in excess of 1,000 shares of the issued and outstanding equity securities of this issuer.

B The Mining Analyst, in his own account or in a family related account, owns securities in excess of 10,000 shares of the issued and outstanding equity securities of this issuer.

C The Mining Analyst, in his own account or in a family related account, owns securities in excess of 30,000 shares of the issued and outstanding equity securities of this issuer.

D The Mining Analyst, in his own account or in a family related account, owns securities in excess of 50,000 shares of the issued and outstanding equity securities of this issuer.

E The Mining Analyst, in his own account or in a family related account, owns securities in excess of 100,000 shares of the issued and outstanding equity securities of this issuer.

F The Mining Analyst, in his own account or in a family related account, owns securities in excess of 250,000 shares of the issued and outstanding equity securities of this issuer.

V The Mining Analyst has visited material operations of this issuer.

P This issuer paid a portion of the travel-related expenses incurred by the Mining Analyst to visit certain material operations of this issuer.

Q This issuer has directly paid the Mining Analyst.

R This issuer has indirectly paid the Mining Analyst.

## Mining Analyst Certification

I, Éric Lemieux, Mining Analyst, hereby certify that the comments and opinions expressed in this report accurately reflect my personal views about the subject and the issuer.

I determine and have final say over which companies are included in my research and do not have direct or indirect remuneration unless disclosed.

This report has been prepared for general information purposes only and should not be considered either a solicitation for the purchase or an offer of securities. This research report does not constitute a recommendation.

The securities mentioned in this report may not be suitable for all types of investors. The information contained in this report is not intended as individual investment advice and is not designed to meet any particular investment objectives, financial situations, or needs. Nothing in this report constitutes legal, accounting or tax advice.