

LinkedIn Post: https://www.linkedin.com/posts/eric-lemieux-9468715_quebec-abitibi-parbec-share-7477449458096463873-Y5zy/?utm_source=share&utm_medium=member_desktop&rcm=ACoAAEEcwYBYv9IQ3WrNxLu2lPkWSB479Ajztl

Renforth Resources Inc. (RFR-CSE)

Renforth visually observes mineralization in channel sampling of diorites and felsites in open pit footprint at Parbec Gold Deposit

On June 29, 2026, Renforth announced the completion of an initial channel cutting campaign with drone-assisted geological mapping in the open pit footprint for the 100% owned Parbec gold deposit on the Cadillac Break in Malartic, Québec. Recall on June 11, 2026, Renforth had reported assay results from the initial 6 surface grab samples collected during the stripping operations, prior to washing, during the spring 2026 stripping program at Parbec, which is contiguous to Canadian Malartic. The 2026 stripping program exposed an area of ~250m x ~100m with interesting lithologies of sediments, diorites and felsites.

Advancements from the stripping program: Felsite and diorite, gold-bearing lithologies at Parbec, were uncovered during overburden removal and observed to occur to a greater extent than previously understood. Up to 8 channels were cut in 5 areas with mineralization visually observed. Channel samples have been taken and been submitted for assay.

The sediments and diorites were exposed along the entire stripped length of an envelop of ~250m in length by 100m in width within a chipped (clear-cut) area roughly 350m by 125m. We understand the stripped area is interesting as sediments intruded with diorite lenses are exposed as well as felsite horizons stretching for tens of metres subparallel to the Cadillac-Larder Lake Fault Zone (break) within the sediments. These felsites are strongly silicified, intensely

fractured in proximity to the break. They host up to 2-6% fine disseminated pyrite with occasional small cubic pyrite crystals as well. Contacts with the sediments are clear and sharp and drag folding with offsets of ~1 to 3m are noted with some boudinage quartz veining.

The stripping program highlighted that felsites show continuity of tens of metres along their length and are likely much wider (up to ~15m locally), which was not clearly apparent in prior drilling, where felsites, often gold-bearing, were only ~1m in width. There are multiple felsite subparallel lenses within the stripped area.

Renforth also exposed the diorites, shown to be mineralized in previous drilling and surface sampling campaigns, including the “diorite splay” in the western portion of the stripped area.

Renforth also exposed crosscutting structures trending roughly N-S that carry through the break – features long interpreted from data but rarely, if ever, observed in outcrop until now. Several of these crosscutting shear zones are strongly biotitized and bear a close resemblance to lamprophyre dykes. At a broader scale, undulating folds sub-parallel to the strike of the break are evident along the felsite contacts, with smaller-scale drag folding locally producing metre-scale offsets parallel to the break.

One of the objectives of the stripping program was to uncover the Cadillac Break along a certain length. However, Renforth was unsuccessful due to excessive overburden thickness on the northern side of the trench where the sedimentary units are in contact with the fault break. This is normal as fault structures are heavily eroded by the composition and state of rock units and hence often lie in topographical lows.

Details of the 8 channels cut in 5 areas:

Area 1 - CHNL-PAR-26-51 (near the east end of the trench area): Channel is 24.2m in length and exposes a mix of sheared diorite, chlorite schist and sheared felsite; mineralization varies from trace to up to 5% fine to disseminated pyrite-pyrrhotite. Mineralization strongest in the felsite intervals. the northern half of the channel consists of felsite and porphyry, mineralized 3-5% pyrite and hosts frequent qz veinlets / stockworks.

Area 2 - CHNL-PAR-26-52 (far west end of trench area): Channel is 5.6m long and exposes mostly diorite / sheared diorite. The north end of the channel exposes qtz-ankerite-tourmaline veining and felsite mineralized with up to 5% pyrite.

Area 3 - CHNL-PAR-26-53, 54 & 55 (near west end of trench, located ~30m east of channel 52 (Area 2)): 3 small channels of 1.4m (channel 53), 0.85m (channel 54), and 4.12m (channel 55) in length respectively. Channel 53 exposes QFP and a cross-cutting quartz vein. Channel 54 is cut in the Pontiac sediments across the same quartz vein as in channel 53. Channel 55 is cut across the entire package; it exposes Pontiac sediments on the north and south sides of a porphyry dyke, which was also channeled in the original 2019 channel at the "bullnose". This porphyry is mineralized with up to 5% pyrite.


Area 4 -CHNL-PAR-26-56 & 57 (centre of trench area): Channel 56 is 8.8m in length and exposes primarily chlorite schist at the south end and sheared diorite to diorite at the north end with two ~1m wide felsites in between. The felsites are mineralized with 4% fine disseminated pyrite and have a qtz-stringer stockwork. The chlorite schist and diorites are mineralized with up to 1% disseminated py. Channel 57 is 1.75m in length and is located a few meters west of Channel 56, and exposes mineralized felsite with chlorite schist on either side.

Area 5 - CHNL-PAR-26-58 (eastern end of trench area): Channel is 18.7m in length and exposes a mix of sheared diorite, chlorite schist and QFP. Schists and diorites are mostly at the southern end, and the northern end of the channel consists primarily of QFP. There is also a narrow felsite block at the south end of the trench. The QFP and sheared diorites at the north end of the channel are mineralized with anywhere from 3-5% pyrite.


Nicole Brewster, President and CEO of Renforth Resources commented: *"This program has yielded an exceptional amount of new data, we are seeing more of the lithologies at Parbec associated with gold uncovered on surface in the stripped area than we expected to. Once again – while we are working on a proven gold deposit, in the footprint of the open pit that goes with the MRE, we are still discovering new things, positive things. I look forward to the results of this program and our continued work on our Parbec gold deposit, along with our Victoria polymetallic. We will be advancing on both deposit fronts"*.

See end: <https://www.linkedin.com/pulse/renforth-resources-inc-rfr-cse-provides-update-its-qu%25C3%25A9bec-lemieux-7swne/>

<https://renforthresources.com/2026/06/29/channel-cutting-complete-englsih/>



Parbec Property Geology



Detail of newly stripped area in Parbec's open pit footprint with channel areas 1 to 5 and trace of channels in orange

EBL





Important Disclosures

Company	Ticker	Disclosures*
Renforth Resources Inc.	RFR-CSE	C, R

* Legend

- A The Mining Analyst, in his own account or in a family related account, owns securities in excess of 1,000 shares of the issued and outstanding equity securities of this issuer.
- B The Mining Analyst, in his own account or in a family related account, owns securities in excess of 10,000 shares of the issued and outstanding equity securities of this issuer.
- C The Mining Analyst, in his own account or in a family related account, owns securities in excess of 30,000 shares of the issued and outstanding equity securities of this issuer.
- D The Mining Analyst, in his own account or in a family related account, owns securities in excess of 50,000 shares of the issued and outstanding equity securities of this issuer.
- E The Mining Analyst, in his own account or in a family related account, owns securities in excess of 100,000 shares of the issued and outstanding equity securities of this issuer.
- F The Mining Analyst, in his own account or in a family related account, owns securities in excess of 250,000 shares of the issued and outstanding equity securities of this issuer.
- V The Mining Analyst has visited material operations of this issuer.
- P This issuer paid a portion of the travel-related expenses incurred by the Mining Analyst to visit certain material operations of this issuer.
- Q This issuer has directly paid the Mining Analyst.
- R This issuer has indirectly paid the Mining Analyst.

Mining Analyst Certification

I, Éric Lemieux, Mining Analyst, hereby certify that the comments and opinions expressed in this report accurately reflect my personal views about the subject and the issuer.

I determine and have final say over which companies are included in my research and do not have direct or indirect remuneration unless disclosed.

This report has been prepared for general information purposes only and should not be considered either a solicitation for the purchase or an offer of securities. This research report does not constitute a recommendation.

The securities mentioned in this report may not be suitable for all types of investors. The information contained in this report is not intended as individual investment advice and is not designed to meet any particular investment objectives, financial situations, or needs. Nothing in this report constitutes legal, accounting or tax advice.