

LinkedIn Post: https://www.linkedin.com/posts/eric-lemieux-9468715_quebec-jamesbay-troilus-share-7471016833312034817-OjrT?utm_source=share&utm_medium=member_desktop&rcm=ACoAAAEecwYBYv9IQ3WrNxLu2IPkWSB479AjztI

Troilus Mining Corp. (TLG-T)

Troilus continues to expand high-grade West Rim Discovery with 19.06 g/t AuEQ over 6.4 m and 6.81 g/t AuEQ over 5 m at surface

On June 11, 2026, Troilus announced additional results from the West Rim Zone as part of its ongoing 2026 Exploration Program at its copper-gold Troilus Project located in northcentral Québec. Recall on May 19, 2026, Troilus had disclosed a first batch of results from the West Rim Zone (see: https://www.linkedin.com/posts/eric-lemieux-9468715_troilus-mining-corp-tlg-t-troilus-expands-share-7463633186640678912-xsvD?utm_source=share&utm_medium=member_desktop&rcm=ACoAAAEecwYBYv9IQ3WrNxLu2IPkWSB479AjztI). The Troilus Cu-Au Project is located in southern Eeyou Istchee James Bay, NE of the Val-d'Or district of the Abitibi, and ~48km NE of the Route du Nord within the Mistassini First Nations territory.

The now completed Phase 1 West Rim winter drill program focused on expanding the mineralized footprint of the West Rim Zone, which was initially discovered in 2024 through near-mine exploration drilling west of the North Reserve Pit (see: <https://www.linkedin.com/pulse/troilus-gold-corp-tlg-t-drills-166-gt-aueq-over-20m-west-eric-lemieux-yj2ue/?trackingId=%2BacmcKk%2BRd%2BcR1UtsLloGw%3D%3D>). The latest results continue to demonstrate the emergence of a significant high-grade mineralized zone located entirely outside the current mineral resource estimate and within 200 m of the reserve pit outlined in the 2024 Feasibility Study (FS). Recall Troilus had disclosed the results of the FS on May 14, 2024 on an initial mineral reserve estimate of 380 Mt @ 0.49 g/t Au, 0.058% Cu, 1.0 g/t Ag containing 7.26 Moz Au Eq (6.02M oz. Au) (see: <https://troilusgold.com/resources/financials/Troilus-Gold-NI-43-101-TR-Report-28-June-2024.pdf?v=070203>).

West Rim intercepts adjacent to planned reserve pits: Notably, the intercepts reported from West Rim compare favourably to some of the highest-grade near-surface intercepts associated with the current reserve pit areas at Troilus while remaining in proper close proximity to planned mining and infrastructure areas. The results continue to support the potential for both open pit and underground development scenarios at West Rim which hence offers optionality.



Hole WR-26-013 intersected 6.93 g/t AuEQ (6.91 g/t Au, 0.97g/t Ag, 0.00 % Cu) over 18.5 m, including 19.06 g/t AuEQ (19.03 g/t Au, 1.76 g/t Ag, 0.00 % Cu) over 6.4 m, which includes 53.90 g/t AuEQ (53.85 g/t Au, 4.29 g/t Ag, 0.00 % Cu) over 2 m, starting at just 11.5 m downhole.

Hole WR-26-014 intersected 1.80 g/t AuEQ (1.75 g/t Au, 2.64 g/t Ag, 0.01 % Cu) over 23.85 m, including 3.82 g/t AuEQ (3.77 g/t Au, 4.09 g/t Ag, 0.00 % Cu) over 9.8 m, which includes 6.81 g/t AuEQ (6.71 g.t Au, 7.73 g/t Ag, 0.01 % Cu) over 5 m, starting at just 19.25 m downhole.

These intercepts begin at shallow downhole depths of 11.5 m and 19.25 m, respectively, and are located ~100 m apart along strike. Together, these intercepts define a continuous high-grade corridor near surface and represent some of the strongest near-pit grade-thickness results drilled to date at Troilus. The mineralization remains open along strike and at depth and is composed of layered bands of semi-massive pyrite and pyrrhotite with enrichment in gold and silver, but little to no copper. All grades are uncut, and true thicknesses are approximately 75% to 90% of drilled length.

Hole WR-26-015 intersected 1.58 g/t AuEQ (1.56 g/t Au, 0.92 g/t Ag, 0.01 % Cu) over 13.5 m, including 16.23 g/t AuEQ (16.20 g/t Au, 2.10 g/t Ag, 0.00 % Cu) over 0.6 m starting at 113.5 m downhole. This hole extended the main West Rim trend an additional 170 m to the south of DDH WR-26-016 (2.92 g/t AuEQ over 19 m) and is located ~100 m down dip from the original discovery hole X22-24-080 (1.37 g/t AuEQ over 11 m within a broader zone of 0.74 g/t AuEQ over 32 m).

Drill holes continue to demonstrate certain continuity of high-grade mineralization at depth within the mineralized system at a potential tier-1 operation. We estimate for 11 holes of the phase 1 winter drilling a robust grade x thickness metric of 23.25 g/t AuEq x m. The Troilus Cu-Au Project is located in southern Eeyou Istchee James Bay and ~48km NE of the Route du Nord within the Mistassini First Nations territory. Recently on June 2, 2026, Troilus announced that Hydro-Québec and Quebec's Ministère de l'Économie, de l'Innovation et de l'Énergie ("MEIE") had approved Troilus's request for a 70 MW (megawatts) power allocation to support the development and operation of the Troilus Project (see end: <https://www.linkedin.com/pulse/troilus-mining-corp-tlg-t-provides-update-2026-program-eric-lemieux-bdkae/?trackingId=Ip4z6hbgRKagd%2FbDLdMcYw%3D%3D>). On June 8, 2026, Troilus welcomed representatives from the Government of Québec to the Troilus Cu-Au Project. Kateri Champagne Jourdain, Minister of Natural Resources and Forests ("MRNF") and Bernard Drainville, Minister of Economy, Innovation and Energy ("MEIE"), with Denis Lamothe, Member of the National Assembly for Ungava and Nichèle Compartino, Mayor of Chibougamau were present alongside representatives from Hydro-Québec, members of the Cree community and regional stakeholders (<https://troilusmining.com/news-and-media/news-releases/troilus-welcomes-qubec-government-leaders-to-its-site-for-official-announcement-of-70-mw-hydroelectric-power-allocation>).

Next Steps: The results released to date represent nearly half of the 3,000 m budgeted for West Rim in 2026. Given the success of the initial drilling campaign, Troilus expects to continue both infill and expansion drilling along the known mineralized trend while also investigating the broader West Rim corridor, which remains largely underexplored along its interpreted 5 km prospective strike length. All results are being incorporated into the evolving geological and structural model for West Rim, with planning underway for an expanded Phase 2 drill campaign. Upcoming work is expected to include additional drilling, structural interpretation, and trial geophysical techniques aimed at improving targeting

within the highly deformed sulfide-rich mineralized system which offers additional potential and optionality to the Troilus Cu-Au Project.

Justin Reid, CEO of Troilus Mining, commented: *“West Rim continues to deliver some of the strongest near-surface drill results encountered to date at Troilus, immediately adjacent to our planned reserve pits and entirely outside the current resource estimate. The consistency of high-grade mineralization we are seeing across the trend is particularly encouraging and continues to demonstrate the potential for West Rim to evolve into a meaningful near-mine zone within the broader Troilus Project. Importantly, these latest intercepts continue to outperform the original discovery drilling completed in 2024 while reinforcing the significant exploration upside that remains across the property. With only approximately half of the planned drilling completed to date at West Rim, we believe there remains considerable opportunity for further expansion”.*

See end: <https://www.linkedin.com/pulse/troilus-gold-corp-tlg-t-drills-166-gt-aeq-over-20m-west-eric-lemieux-yj2ue/?trackingId=%2BacmcKk%2BRd%2BcR1UtsLloGw%3D%3D>

<https://troilusmining.com/news-and-media/news-releases/troilus-continues-to-expand-high-grade-west-rim-discovery-with-1906-gt-aeq-over-64-m-and-681-gt-aeq-over-5-m-at-surface>



EBL Consultants enr.

Eric Lemieux, MSc, P. Geo
Mining & Exploration Analytics

eblconsultants@gmail.com

819 314 8081



Éric Lemieux, MSc, P. Geo • Mining & Exploration Analytics
819 314-8081

June 11, 2026




EBL Consultants enr.

Eric Lemieux, MSc, P. Geo
Mining & Exploration Analytics

eblconsultants@gmail.com

819 314 8081



West Rim plan map with representative drill hole locations relative to reserve pit outline

EBL



Core from hole 13

TROILUS



Table: West Rim Drill Results

Hole	From	To	Interval	Au Grade	Cu Grade	Ag Grade	AuEq Grade	True width interval est.	AuEq Grade	Grade x true thickness (g/t Eq x m)	Grade x true thickness (g/t Eq x m)	
	(m)	(m)	(m)	(g/t)	(%)	(g/t)	(g/t)	(m)	(g/t)			
WR-26-013												
	11.5	30	18.5	6.91	0	0.97	6.93	18.5	6.91	127.84	127.84	
incl	23.6	30	6.4	19.03	0	1.76	19.06	6.4	19.03	121.79		
incl	24.1	26.1	2	53.85	0	4.29	53.9	2	53.85	107.70		
incl	25	26.1	1.1	89.8	0	6	89.87	1.1	89.8	98.78		
incl	26.1	30	3.9	3.33	0	0.42	3.34	3.9	3.33	12.99		
WR-26-014												
	19.25	43.1	23.85	1.75	0.01	2.64	1.8	23.85	1.75	41.74	41.74	
incl	24	33.8	9.8	3.77	0	4.09	3.82	9.8	3.77	36.95		
incl	24	29	5	6.71	0.01	7.73	6.81	5	6.71	33.55		
incl	24	26	2	12.58	0.01	16.1	12.78	2	12.58	25.16		
WR-26-015												
	133.5	147	13.5	1.56	0.01	0.92	1.58	13.5	1.56	21.06	21.06	
incl	141.3	142	0.6	16.2	0	2.1	16.23	0.6	16.2	9.72		
WR-26-018												
	35	38	3	1.71	0.01	0.47	1.73	3	1.71	5.13	5.13	
	90	98	8	0.23	0.01	0.73	0.26	8	0.23	1.84	1.84	
WR-26-021												
	71	81	10	0.69	0.01	0.47	0.71	10	0.69	6.90	6.90	
	149	152	3	3.03	0.03	5.05	3.14	3	3.03	9.09	9.09	
WR-26-016												
	37	42	5	0.27	0.01	0.5	0.29	4.1	0.29	1.20	1.2	
	99	118	19	2.83	0.03	3.05	2.92	15.68	2.92	45.77	45.77	
incl.	99	100	1	6.3	0.01	2.4	6.34	0.83	6.34	5.23		
incl.	104	105	1	5.82	0	1.4	5.84	0.83	5.84	4.82		
incl.	110	115	5	7.76	0.01	3.66	7.82	4.13	7.82	32.26		
incl.	113	115	2	15.3	0.01	5.15	15.37	1.65	15.37	25.36		
WR-26-017												
	41	53	12	0.62	0.01	1.11	0.65	9.90	0.65	6.44	6.44	
incl.	44	46	2	2.37	0.02	1.85	2.42	1.65	2.42	3.99		
WR-26-019												
	48	68	20	1.94	0.01	1.22	1.97	16.50	1.97	32.51	32.51	
incl.	60	66	6	5.92	0.01	2.1	5.96	4.95	5.96	29.50		
incl.	63	65	2	15.49	0.01	3.5	15.54	1.65	15.54	25.64		
WR-26-020												
	62	72	10	0.36	0.01	1.06	0.4	8.25	0.4	3.30	3.3	
incl.	63	64	1	1.67	0	0.5	1.68	0.83	1.68	1.39		
WR-26-022												
	9	27	18	0.48	0.01	1	0.5	14.85	0.5	7.43	7.43	
incl.	15	16	1	1.32	0	1	1.34	0.83	1.34	1.11		
incl.	26	27	1	5.25	0.03	2.2	5.32	0.83	5.32	4.39		
WR-26-023												
	16	42	26	0.68	0.01	1.7	0.71	21.45	0.71	15.23	15.23	
incl.	19	20	1	4.39	0.02	1.5	4.43	0.83	4.43	3.65		
incl.	38	42	4	2.48	0.01	3.98	2.54	3.30	2.54	8.38		
Average				7.28	8.89	0.01	2.72	8.94	6.58	8.92	26.99	23.25

All grades are uncut, and true thicknesses are approximately 75% to 90% of drilled length.

* AuEq = Au grade + 1.5107 * Cu grade + 0.0119 * Ag grade

EBL



EBL Consultants enr.

Eric Lemieux, MSc, P. Geo
Mining & Exploration Analytics

ebiconsultants@gmail.com

819 314 8081



Troilus Welcomes Québec Government Leaders to its Site for Official Announcement of 70 MW Hydroelectric Power Allocation



Éric Lemieux, MSc, P. Geo • Mining & Exploration Analytics
819 314-8081

June 11, 2026

Important Disclosures

Company	Ticker	Disclosures*
Troilus Gold Corp.	TLG-T	B, V, R

* Legend

- A The Mining Analyst, in his own account or in a family related account, owns securities in excess of 100 shares of the issued and outstanding equity securities of this issuer.
- B The Mining Analyst, in his own account or in a family related account, owns securities in excess of 10,000 shares of the issued and outstanding equity securities of this issuer.
- C The Mining Analyst, in his own account or in a family related account, owns securities in excess of 30,000 shares of the issued and outstanding equity securities of this issuer.
- D The Mining Analyst, in his own account or in a family related account, owns securities in excess of 50,000 shares of the issued and outstanding equity securities of this issuer.
- E The Mining Analyst, in his own account or in a family related account, owns securities in excess of 100,000 shares of the issued and outstanding equity securities of this issuer.
- F The Mining Analyst, in his own account or in a family related account, owns securities in excess of 250,000 shares of the issued and outstanding equity securities of this issuer.
- V The Mining Analyst has visited material operations of this issuer, namely the Chemin Troilus area in June 2017 and the Regnault Project in August 2021.
- P This issuer paid a portion of the travel-related expenses incurred by the Mining Analyst to visit material operations of this issuer.
- Q This issuer had directly paid the Mining Analyst.
- R This issuer has indirectly paid the Mining Analyst.

Mining Analyst Certification

I, Éric Lemieux, Mining Analyst, hereby certify that the comments and opinions expressed in this report accurately reflect my personal views about the subject and the issuer.

I determine and have final say over which companies are included in my research and do not have direct or indirect remuneration unless disclosed.

This report has been prepared for general information purposes only and should not be considered either a solicitation for the purchase or an offer of securities. This research note does not constitute a recommendation.

The securities mentioned in this report may not be suitable for all types of investors. The information contained in this report is not intended as individual investment advice and is not designed to meet any particular investment objectives, financial situations, or needs. Nothing in this report constitutes legal, accounting or tax advice.