

LinkedIn Post: https://www.linkedin.com/posts/eric-lemieux-9468715_quebec-abitibi-ligneris-share-7483709261089251328-d7FC/?utm_source=share&utm_medium=member_desktop&rcm=ACoAAAEcwYBYv9IQ3WrNxLu2IPkWSB479Ajztl

Vior Gold Corporation Inc. (VIO-V)

Vior Gold extends high-grade gold mineralization laterally at Ligneris, Abitibi, Québec

On July 16, 2026, Vior Gold announced new results from its ongoing 30,000-m drill program on the 100%-owned Ligneris Project located ~55 km NW of the town of Amos, Abitibi region, Québec. Vior Gold has completed ~23,600 m of drilling since the beginning of the 2026 program and more than 6,000 assays are pending at the laboratory. Vior Gold is currently drilling with 1 drill rig and shall continue until the end of August and expects to complete its 30,000 meters program during Q3-2026.

Continuing to build momentum: Drillhole LI-26-024 returned 5.17 g/t Au over 2.9m at 750.0 m depth along hole (including 13.4 g/t Au over 1m) Mineralization reported in LI-26-024 consists predominantly of trace to 3% pyrite hosted in a strongly deformed rhyolite with a moderate to strong sericitization and silicification. It extends mineralization outlined in LI-26-005-EXT (5.64 g/t Au over 4m) by more than 100 m towards west.

Drillhole LI-26-034 returned 7.37 g/t Au over 2m at 564.0 m depth along hole (including 12.6 g/t Au over 1m). It was collared 160 m east from drillhole LI-26-012 (12.8 g/t Au over 2m) extending the mineralization and alteration halo further to the NE. Mineralization occurs as finely disseminated pyrite, ranging from 1 to 2% hosted in a moderately sericitized and strongly silicified rhyolite. Additional mineralization from the same drillhole returned values of 3.45 g/t Au over 3.7m at 439.3 m and 3.26 g/t Au over 2m at 697.0 m. These results extend the known mineralized structure on South Zone eastwards to more than 1,300 meters laterally.

We estimate a grade x thickness metric of 12.25 g/t Au x m for these 2 holes. We estimate an overall grade x thickness metric of 19.98 g/t Au x m for the 14 holes compiled of the 2026 drilling campaign so far disclosed. With these results the mineralization structure on South Zone at

Ligneris has now been identified for almost 1,500 m laterally, remains open likely laterally and at depth suggesting a fertile gold system that also has potential meaningful depth extensions.

Recall on June 2, 2026, Vior Gold had reported new results from the 20,000-m ongoing drill program with drill holes grading up to 7.94 g/t Au over 4 m (at 990.0 m) in Hole LI-26-010-EXT and 11.8 g/t Au over 1.3 m (at 805m) in hole LI-26-028, that confirmed high-grade vertical continuity while remaining open at depth and laterally (see: https://www.linkedin.com/posts/eric-lemieux-9468715_quebec-abitibi-ligneris-activity-7467975583717634048-7Ypq?utm_source=share&utm_medium=member_desktop&rcm=ACoAAAEcwYBYv9IQ3WrNxLu2IPkWSB479AjztI).

Kinebik drilling to commence: Vior Gold also announced the commencement of its 15,000 meters drill campaign at Kinebik Project located ~40 km NE of the town of Lebel-sur-Quévillon. One drill rig arrived at site on Wednesday and a second drill rig is expected to arrive next week. Recall on June 30, 2026, Vior Gold disclosed that it anticipated to initiate its drilling program on the Kinebik Project in early July, pending wood cutting permits and focus on the Cameron Main and Florence targets. (see: https://www.linkedin.com/posts/eric-lemieux-9468715_quebec-abitibi-kinebik-share-7478081543807127552-M-lg/?utm_source=share&utm_medium=member_desktop&rcm=ACoAAAEcwYBYv9IQ3WrNxLu2IPkWSB479AjztI).

Mathieu Savard, President and CEO of Vior Gold Corporation, stated: “We are building strong momentum with consistent, high-quality results at Ligneris. Drillhole LI-026-034 results are key as they are opening up gold mineralization to the east at depth and confirming that the South Zone now extends over 1.3 kilometers laterally — a significant expansion of this high-potential corridor. The next phase of drilling will focus on infilling this zone with a tighter drill mesh to further define its scale and continuity. With more than 6,000 assays still pending from the lab and drilling advancing toward the 25,000-meter mark, we remain highly encouraged about the growth potential we continue to uncover at Ligneris”.

See end: <https://www.linkedin.com/pulse/vior-inc-vio-v-provides-exploration-update-belleterre-eric-lemieux-rcd6e/?trackingId=jbHOfCpSm%2BuycRQ%2FuYThA%3D%3D>

<https://www.vior.ca/new/vior-gold-corporation-extends-high-grade-mineralization-laterally/>



EBL Consultants enr.

Eric Lemieux, MSc, P. Geo
Mining & Exploration Analytics


ebiconsultants@gmail.com

819 314 8081




July 16, 2026

RECENTLY ANNOUNCED ACQUISITIONS



LIGNERIS PROJECT SOUTH ZONE PLAN VIEW


**VIOR GOLD
CORPORATION**



LIGNERIS PROJECT SOUTH ZONE COMPOSITE LONG SECTION




VIOR GOLD
CORPORATION




LIGNERIS PROJECT SOUTH ZONE CROSS-SECTION VIEW



VIOR GOLD
CORPORATION



LIGNERIS PROJECT
SOUTH ZONE WEST CROSS-SECTION VIEW



LIGNERIS PROJECT
SOUTH ZONE EAST CROSS-SECTION VIEW




Table 1 – Drill Core Assay Results

Drill hole Number	Azimuth (°)	Dip (°)	Drill Hole Length (m)	Interval From (m)	Interval To (m)	Interval Width (m)	Au (g/t) uncut	Zone	Grade x thickness (m)	Grade x thickness (m)
LI-26-024	321	-52	1023	750	752.9	2.9	5.17	South Zone	14.99	14.99
including				751	752	1	13.4		13.40	
LI-26-034	332	-58	928	439.3	443	3.7	3.45	South Zone	12.77	12.77
including				564	566	2	7.37		14.74	14.74
LI-26-034				565	566	1	12.6	South Zone	12.60	
LI-26-034				697	699	2	3.26	South Zone	6.52	6.52
Average			975.50	627.72	629.82	2.10	7.54		12.50	12.25

EBL




Table – All Reported Drill Core Assay Results

Drill hole Number	Azimuth (°)	Dip (°)	Drill Hole Length (m)	Interval From (m)	Interval To (m)	Interval Width (m)	Au (g/t) uncut	Zone	Grade x thickness (m)	Grade x thickness (m)
1 LI-26-001	327	-49	523	255.3	272.5	17.2	0.44	South Zone	7.57	7.57
2 LI-26-002	330	-45	471	109	103	3	2.62	South Zone	7.86	7.86
including				101.5	103	1.5	4.08		6.12	6.12
including	330	-45	471	170.7	173.7	3	35.2	South Zone	105.6	105.6
				171.7	172.7	1	68.1		68.1	68.1
				201.5	204.5	3	21.6	South Zone	64.8	64.8
including				203	204.5	1.5	40.9		61.4	61.4
3 LI-26-003	332	-54	559	298	325	27	0.4	South Zone	10.8	10.8
including				305	308.5	3.5	1.21		4.2	4.2
including	332	-54	559	452.7	467	14.3	0.71	South Zone	10.15	10.15
including				452.7	454	1.3	3.32		4.32	4.32
and				461.4	462.7	1.3	2.96		3.85	3.85
4 LI-26-004	335	-50	358	314.5	317	2.5	3.42	South Zone	8.55	8.55
including				315.5	317	1.5	4.62		6.53	6.53
5 LI-26-005	330	-61	736	459	467.5	8.5	1.63	South Zone	13.9	13.9
including				459.6	463	3.4	3.11		10.6	10.6
including				724	728	4	5.64	South Zone	22.6	22.6
including				725	726	1	8.56		8.6	8.6
6 LI-26-005-EXT	330	-61	1015	487	495.5	8.5	1.62	South Zone	13.77	13.77
including				489	490	1	5.01		5.01	5.01
and				494.5	495.5	1	5.02		5.02	5.02
LI-26-005-EXT				706	707	1	11.5	South Zone	11.50	11.50
7 LI-26-006	335	-50	352	97.7	98.2	0.5	9.51	South Zone	4.8	4.8
including				184.9	209.1	24.2	1.1	South Zone	26.6	26.6
including				187	195	8	2.55		16.4	16.4
8 LI-26-007	335	-49	550	373	374	1	21.7	South Zone	21.70	21.70
including				527	532	5	1.04	South Zone	5.20	5.20
9 LI-26-008	320	-56	697	669	672.3	3.3	2.81	South Zone	9.3	9.3
including				670	671	1	7.76		7.8	7.8
LI-26-009										
10 LI-26-010-EXT	318	-60	1004	666	706.3	40.3	0.79	South Zone	31.84	31.84
including				671	686	15	1.19		17.85	17.85
and				694.8	699	4.2	1.28		5.38	5.38
including				765	768	3	5.45	South Zone	16.35	16.35
including				766	767	1	14.8		14.80	14.80
LI-26-011										
11 LI-26-012	338	-47	406	202	204	2	12.8	South Zone	25.60	25.60
including				202	202.5	0.5	22.3		11.15	11.15
LI-26-013										
12 LI-26-014	335	-50	359	276.9	277.9	1	38.3	South Zone	38.30	38.30
LI-26-015										
LI-26-016										
LI-26-017										
LI-26-018										
LI-26-019										
LI-26-020										
LI-26-021										
LI-26-022										
LI-26-023										
13 LI-26-024	321	-52	1023	750	752.9	2.9	5.17	South Zone	14.99	14.99
including				751	752	1	13.4		13.40	13.40
LI-26-025										
LI-26-026										
LI-26-027										
LI-26-028										
LI-26-029										
LI-26-030										
LI-26-031										
LI-26-032										
LI-26-033										
14 LI-26-034	332	-58	928	439.3	443	3.7	3.45	South Zone	12.77	12.77
including				564	566	2	7.37	South Zone	14.74	14.74
including				565	566	1	12.6		12.60	12.60
LI-26-034				697	699	2	3.26	South Zone	6.52	6.52
LI-26-035										
Average			625.69	449.12	448.81	5.50	9.02		18.35	19.98

EBL

Important Disclosures

Company	Ticker	Disclosures*
Vior Inc.	VIO-V	E, R, V

* Legend

- A The Mining Analyst, in his own account or in a family related account, owns securities in excess of 1,000 shares of the issued and outstanding equity securities of this issuer.
- B The Mining Analyst, in his own account or in a family related account, owns securities in excess of 10,000 shares of the issued and outstanding equity securities of this issuer.
- C The Mining Analyst, in his own account or in a family related account, owns securities in excess of 30,000 shares of the issued and outstanding equity securities of this issuer.
- D The Mining Analyst, in his own account or in a family related account, owns securities in excess of 50,000 shares of the issued and outstanding equity securities of this issuer.
- E The Mining Analyst, in his own account or in a family related account, owns securities in excess of 100,000 shares of the issued and outstanding equity securities of this issuer.
- F The Mining Analyst, in his own account or in a family related account, owns securities in excess of 250,000 shares of the issued and outstanding equity securities of this issuer.
- V The Mining Analyst has visited certain material operations of this issuer, namely the Belleterre Project in July 2021 and the Foothills Project in 2016.
- P This issuer paid a portion of the travel-related expenses incurred by the Mining Analyst to visit material operations of this issuer.
- Q This issuer has directly paid the Mining Analyst.
- R This issuer has indirectly paid the Mining Analyst.

Mining Analyst Certification

I, Éric Lemieux, Mining Analyst, hereby certify that the comments and opinions expressed in this report accurately reflect my personal views about the subject and the issuer.

I determine and have final say over which companies are included in my research and do not have direct or indirect remuneration unless disclosed.

This report has been prepared for general information purposes only and should not be considered either a solicitation for the purchase or an offer of securities. This research note does not constitute a recommendation.

The securities mentioned in this report may not be suitable for all types of investors. The information contained in this report is not intended as individual investment advice and is not designed to meet any particular investment objectives, financial situations, or needs. Nothing in this report constitutes legal, accounting or tax advice.