LinkedIn Post: https://www.linkedin.com/posts/eric-lemieux-9468715_quebec-abitibi-ligneris-share-7439855174480846848-RUjq?utm_source=share&utm_medium=member_desktop&rcm=ACoAAAEEcwYBYv9IQ3WrNxLu2lPkWSB479Ajztl

Vior Gold Corporation Inc. (VIO-V)

Vior Gold intersects high-grade gold mineralization at Ligneris, Abitibi, Québec

On March 17, 2026, Vior Gold announced initial drilling results from its 20,000-m drill program on its 100%-owned Ligneris Project located ~55 km NW of Amos, Abitibi region, Québec. Recall on January 6, 2026 Vior had commenced the drill program at Ligneris (see: https://www.linkedin.com/posts/eric-lemieux-9468715_quebec-abitibi-ligneris-activity-7416661201306423297-1IJX?utm_source=share&utm_medium=member_desktop&rcm=ACoAAAEEcwYBYv9IQ3WrNxLu2lPkWSB479Ajztl). The Ligneris Project is located ~70 km East of Normétal and Amex Exploration's (AMX-V) Perron Project (see: https://www.linkedin.com/pulse/amex-exploration-inc-amx-v-abitibi-metals-corp-amq-cse-eric-lemieux-yrtbe/?trackingId=dh5lPtZOSHaD979VeqxlVQ%3D%3D). Recall also that recently Vior has taken more land position with the asset purchase agreement from Agnico Eagle Mines Limited (AEM-T). Indeed, on March 5, 2026, Vior acquired >86,373 ha in the heart of the Abitibi, expanding its land position with Kinebik, Peacock and Launay projects (see: https://www.linkedin.com/pulse/vior-gold-corporation-inc-vio-v-announces-major-abitibi-eric-lemieux-dhkse/?trackingId=LId7%2BkpMQ6Go1bOHzKC1Wg%3D%3D). The Peacock Project is adjacent to Ligneris and establishes a new regional land position with considerable potential that covers the potential south extension of the Joutel Camp stratigraphy and the western extension of the volcanic package hosting the Sleeping Giant Mine of Mines Abcourt (see: https://www.linkedin.com/posts/eric-lemieux-9468715_quebec-abitibi-ligneris-activity-7416661201306423297-

1IJX?utm_source=share&utm_medium=member_desktop&rcm=ACoAAAEEcwYBYv9IQ3WrNxLu2lPkWSB479Ajztl).

High-grade gold mineralization on Ligneris South Zone: Initial drilling has intersected high-grade gold mineralization on Ligneris South Zone confirming the presence and continuity of the historical intercept of 16.84 g/t Au over 8m in drillhole 275-073. Saliently, drillhole LI-26-002, drilled 50 m NE of the historical drillhole 275-073, intersected 35.2 g/t Au over 3m and 21.6 g/t Au over 3m at respective depths of 170.7 m and 201.5 m along the hole. These 2 intercepts are hosted in felsic tuff moderately to strongly altered in sericite with local patchy to pervasive silicification proximal to gold mineralization and contain disseminated pyrite from trace to 5%. The style of mineralization and the alteration assemblage intersected at 170.7 m is similar to that in historical hole 275-073 and seems to correlate with the historical intercepts of 16.84 g/t Au over 8 m. The second intervals of 21.6 g/t Au over 3 m could potentially represent a new zone and seems unable to be correlated at this moment with drillhole 275-073.

Drillhole LI-26-005 returned 5.64 g/t Au over 4m (including 8.56 g/t Au over 1m at 724 m (vertical depth of 625 m). The mineralization is hosted in a brecciated rhyolite moderately altered in sericite with trace to locally 3% pyrite. This intercept potentially defines a new mineralized zone and represents the deepest intercept to date at Ligneris indicating additional potential at greater depth.

Step-out drilling 200 m SW of hole LI-26-002 returned a value of 2.05 g/t Au over 8m included within a larger interval of 1.1 g/t Au over 24.2m in hole LI-26-006. Mineralization occurs as finely disseminated pyrite, ranging from trace to 2%, hosted in a massive rhyolite moderately to strongly altered in sericite and silica. This result extends the mineralization to the SW in an area that was poorly explored historically.

We understand the mineralized system is pervasive within highly altered sericite felsic volcanics and there is very strong silicification proximal to the gold mineralization. Pyrite content remains fairly low generally (1-5%) in the South Zone. Overall, for the 6 reported drill holes we estimate a robust grade x thickness metric of 25.96 g/t Au x m.

Hearty drill program in progress: Since the beginning of the drilling program Vior has completed ~9,400 m of drilling including 7,865 m on the South Zone. A total of 1,059 assays were received and 4,635 are currently pending at the laboratory. Vior is currently drilling with 3 drill rigs and is expecting to complete this phase later during the second quarter of 2026. Potential for gold-bearing VMS mineralization remains a tantalizing target in this area of the Abitibi.

Mathieu Savard, President and CEO of Vior Gold Corporation, commented: "*These initial results confirm the high-grade nature of the gold mineralization at South Zone and validate the historical intercepts drilled almost 40 years ago on the Ligneris Project. We are thrilled with today's results that extend the mineralized trend at South Zone by more than 200 meters laterally and by 260 meters vertically. We're almost halfway through the winter program with approximately 9,400 meters drilled so far and we are expecting additional results in the upcoming weeks. We believe that the large halos of low-grade gold intersected in drilling so far could be indicative of the presence of larger gold system. We have three rigs turning as we are following up on the deepest intersection to date at Ligneris and pursuing the program that aim to extend the known mineralization both laterally and at vertically*".

See end: https://www.linkedin.com/pulse/vior-inc-vio-v-provides-exploration-update-belleterre-eric-lemieux-rcd6e/?trackingId=jbHOflCpSm%2BuycRQ%2FuYThA%3D%3D

See also: https://www.linkedin.com/pulse/vior-inc-vio-v-provides-exploration-update-belleterre-eric-lemieux-wtnje/

https://www.vior.ca/new/vior-gold-corporation-intersects-high-grade-mineralization-at-ligneris/

Eric Lemieux, MSc, P. Geo
Mining & Exploration Analytics
eblconsultants@gmail.com
819 314 8081





Eric Lemieux, MSc, P. Geo
Mining & Exploration Analytics
eblconsultants@gmail.com
819 314 8081



Expanding land position

EBL

Table – Drill Core Assay Results

Drill hole Number	Azimuth (°)	Dip (°)	Drill Hole Length (m)	Interval From (m)	Interval To (m)	Interval Width (m)	Au (g/t) uncut	Zone	Grade x thickness (m)	Grade x thickness (m)
LI-26-001	327	-49	523	**255.3**	**272.5**	**17.2**	**0.44**	South Zone	**7.57**	**7.57**
LI-26-002	330	-45	471	**170.7**	**173.7**	**3**	**35.2**	South Zone	**105.6**	**105.6**
including				171.7	172.7	1	68.1		68.1	
LI-26-002				**201.5**	**204.5**	**3**	**21.6**	South Zone	**64.8**	**64.8**
including				203	204.5	1.5	40.9		61.4	
LI-26-003	332	-54	559	**298**	**325**	**27**	**0.4**	South Zone	**10.8**	
including				305	308.5	3.5	1.21		4.2	4.2
LI-26-004										
LI-26-005	330	-61	736	**459**	**467.5**	**8.5**	**1.63**	South Zone		**13.9**
including				459.6	463	3.4	3.11		10.6	10.6
LI-26-005				**724**	**728**	**4**	**5.64**	South Zone	**22.6**	**22.6**
including				725	726	1	8.56		8.6	
LI-26-006	335	-50	352	**97.7**	**98.2**	**0.5**	**9.51**	South Zone	**4.8**	**4.8**
LI-26-006				**184.9**	**209.1**	**24.2**	**1.1**	South Zone	**26.6**	
including				187	195	8	2.05		16.4	16.4
LI-26-007										
LI-26-008	320	-56	697	**669**	**672.3**	**3.3**	**2.81**	South Zone	**9.3**	**9.3**
including				670	671	1	7.76		7.8	
Average			556.33			7.24	11.27		28.60	25.96

EBL

Eric Lemieux, MSc, P. Geo
Mining & Exploration Analytics
eblconsultants@gmail.com
819 314 8081





Eric Lemieux, MSc, P. Geo
Mining & Exploration Analytics
eblconsultants@gmail.com
819 314 8081






LIGNERIS PROJECT
SOUTH ZONE CROSS-SECTION VIEW
VIOR GOLD CORPORATION
Looking Northeast
100m
LI-26-002
35.2 g/t Au / 3.0 m
incl. 68.1 g/t Au / 1.0 m
LI-26-002
21.6 g/t Au / 3.0 m
incl. 40.9 g/t Au / 1.5 m
275-073
16.8 g/t Au / 8.0 m
incl. 39.2 g/t Au / 3.0 m (GM45463)
LS-05
5.15 g/t Au / 5.9 m (GM41991)
LI-26-001
0.44 g/t Au / 17.2 m
LI-26-003
0.40 g/t Au / 27.0 m
incl. 1.21 g/t Au / 3.5 m
(315m below surface)
LI-26-005
1.63 g/t Au / 8.5 m
incl. 3.11 g/t Au / 3.4 m
LI-26-008
2.81 g/t Au / 3.3 m
incl. 7.76 g/t Au / 1.0 m
LI-19-02
1.19 g/t Au / 19.0 m
incl. 2.36 g/t Au / 8.0 m (GM72056)
LI-26-005
5.64 g/t Au / 4.0 m
incl. 8.56 g/t Au / 1.0 m
(615m below surface)
LI-26-002
LI-26-016
LI-26-001
LI-26-003
LI-26-008
LI-26-005
LI-26-010
New DDH Results
Historical Results
2026 DDH with results
2026 DDH pending results
Historical DDH
Slice thickness : 150m


LIGNERIS PROJECT
SOUTH ZONE WEST CROSS-SECTION VIEW
VIOR GOLD CORPORATION
Looking Northeast
LI-26-006
9.51 g/t Au / 0.5 m
LI-26-006
1.10 g/t Au / 24.2 m
incl. 2.05 g/t Au / 8.0 m
LI-26-014
LI-26-006
LI-26-007
(315m below surface)
(615m below surface)
New DDH Results
Historical Results
2026 DDH with results
2026 DDH pending results
Historical DDH
Slice thickness : 150m

Eric Lemieux, MSc, P. Geo
Mining & Exploration Analytics
eblconsultants@gmail.com
819 314 8081

Drillhole LI-26-002

Drillhole LI-26-005

Table – Drill Hole Collar Locations

Drill hole Number	Azimuth (°)	Dip (°)	Drill Hole Length (m)	UTM Easting	UTM Northing
LI-26-001	327	-49	523	684821	5429470
LI-26-002	330	-45	471	684773	5429577
LI-26-003	332	-54	559	684821	5429470
LI-26-005	330	-61	736	648821	5429470
LI-26-006	335	-50	352	684620	5429480
LI-26-008	320	-56	697	684950	5429448

EBL

Eric Lemieux, MSc, P. Geo
Mining & Exploration Analytics
eblconsultants@gmail.com
819 314 8081

Important Disclosures

Company	Ticker	Disclosures*
Vior Inc.	**VIO-V**	**E, R, V**

* Legend

A The Mining Analyst, in his own account or in a family related account, owns securities in excess of 1,000 shares of the issued and outstanding equity securities of this issuer.

B The Mining Analyst, in his own account or in a family related account, owns securities in excess of 10,000 shares of the issued and outstanding equity securities of this issuer.

C The Mining Analyst, in his own account or in a family related account, owns securities in excess of 30,000 shares of the issued and outstanding equity securities of this issuer.

D The Mining Analyst, in his own account or in a family related account, owns securities in excess of 50,000 shares of the issued and outstanding equity securities of this issuer.

E The Mining Analyst, in his own account or in a family related account, owns securities in excess of 100,000 shares of the issued and outstanding equity securities of this issuer.

F The Mining Analyst, in his own account or in a family related account, owns securities in excess of 250,000 shares of the issued and outstanding equity securities of this issuer.

V The Mining Analyst has visited certain material operations of this issuer, namely the Belleterre Project in July 2021 and the Foothills Project in 2016.

P This issuer paid a portion of the travel-related expenses incurred by the Mining Analyst to visit material operations of this issuer.

Q This issuer has directly paid the Mining Analyst.

R This issuer has indirectly paid the Mining Analyst.

Mining Analyst Certification

I, Éric Lemieux, Mining Analyst, hereby certify that the comments and opinions expressed in this report accurately reflect my personal views about the subject and the issuer.

I determine and have final say over which companies are included in my research and do not have direct or indirect remuneration unless disclosed.

This report has been prepared for general information purposes only and should not be considered either a solicitation for the purchase or an offer of securities. This research note does not constitute a recommendation.

The securities mentioned in this report may not be suitable for all types of investors. The information contained in this report is not intended as individual investment advice and is not designed to meet any particular investment objectives, financial situations, or needs. Nothing in this report constitutes legal, accounting or tax advice.